





GOA-889-5700 360 TRAFFIC SOLUTIONS.COM

Date: 11/20/2020 Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com

Comments:  
Parsons  
Yena Kim  
604-365-9284

Job Location : 7385 Vedder Rd, Chilliwack  
Project No  
Plan 1-A Drilling  
Hours of Work : TBD  
1 Lane closure truck 2 tcps



Parsons PLUS  
envision more

Drawn by: DH



### Legend



-  Buffer vehicle
-  Delineator
-  Drill Rig
-  FAB
-  Proposed location
-  TCP
-  Work Area

Date: 11/20/2020

Comments:

1. Parsons will be installing a well in the crosswalk EB Storey Ave, road will be closed to EB traffic while work is in progress
3. Tcp to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure truck & 2 tcps
4. All signs & equipment will be removed for non working hrs
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.








Date: 7/09/2019

Comments:

- 1. Parsons will be monitoring existing wells in SB left lane Vedder Rd, this Tmp shows a modification of Fig 8.7 (left lane closure).
- 2. No buses/pedestrians will be affected, all driveways will be maintained
- 3. Posted speed limit in this area is 50 kmh
- 4. Tcp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure tech
- 5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.





Date: 7/09/2019

Comments:

- 1. Parsons will be monitoring existing wells in SB left lane Vedder Rd, this Tmp shows a modification of Fig 8.7 (left lane closure).
- 2. No buses/pedestrians will be affected, all driveways will be maintained
- 3. Posted speed limit in this area is 50 kmh
- 4. Tcp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure tech
- 5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.



www.invarion.com

Legend

- BH 13 & 14
- Buffer vehicle
- Delineator
- FAB
- Sign stand
- TCP
- Work Area

Date: 07/09/2019 Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com Drawn by: DH

Comments:

Parsons  
Yena Kim  
778-952-2872



Job Location : 7385 Vedder Rd, Chilliwack  
Project No :  
Plan No 1-B  
Hours of Work : TBD  
1 Lct







**Date:** 7/09/2019

**Comments:**

1. Parsons will be monitoring existing wells in EB lane Stoney Rd this Tmp shows a modification of Fig 7.8 (single lane alternating traffic ).
2. No buses/pedestrians will be affected, all driveways will be maintained, no stopping zone required around work area
3. Posted speed limit in this area is 50 kmh
4. Tmp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lct & 1 tcp with support truck.
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.

- Legend**
- BH 41 & 16
  - Buffer vehicle
  - Delineator
  - FAB
  - No Stopping Zone
  - TCP
  - Work Area



**360**  
Traffic Solutions

Date: 07/09/2019    Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com    Drawn by: DH

**Comments:**  
Parsons  
Yena Kim  
778-952-2872

Job Location : 7385 Vedder Rd, Chilliwack  
Project No :  
Plan No 1-C  
Hours of Work : TBD  
1 Lct & 1 tcp with support truck



**Parsons PLUS**  
envision more





**Date:** 7/09/2019

**Comments:**

1. Parsons will be monitoring existing wells in EB lane Stoney Rd this Tmp shows a modification of Fig 7.8 (single lane alternating traffic ).
2. No buses/pedestrians will be affected, all driveways will be maintained, no stopping zone required around work area
3. Posted speed limit in this area is 50 kmh
4. Tmp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lct & 1 tcp with support truck.
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.

| Legend |                  |
|--------|------------------|
|        | BH 36 & 37       |
|        | Buffer vehicle   |
|        | Delineator       |
|        | FAB              |
|        | No Stopping Zone |
|        | TCP              |
|        | Work Area        |



360  
Traffic Solutions

Date: 07/09/2019    Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com    Drawn by: DH

Comments:  
Parsons  
Yena Kim  
778-952-2872

Job Location : 7385 Vedder Rd, Chilliwack  
Project No :  
Plan No 1-D  
Hours of Work : TBD  
1 Lct & 1 tcp with support truck



Parsons PLUS  
envision more





**Date:** 7/09/2019

**Comments:**

1. Parsons will be monitoring existing wells in EB lane Stoney Rd this Tmp shows a modification of Fig 7.8 (single lane alternating traffic ).
2. No buses/pedestrians will be affected, all driveways will be maintained, no stopping zone required around work area
3. Posted speed limit in this area is 50 kmh
4. Tmp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lct & 1 tcp with support truck.
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.



**360**  
Traffic Solutions

Date: 07/09/2019    Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com    Drawn by: DH

**Comments:**  
Parsons  
Yena Kim  
778-952-2872

 **Parsons PLUS**  
envision more

Job Location : 7385 Vedder Rd, Chilliwack  
Project No :  
Plan No 1-E  
Hours of Work : TBD  
1 Lct & 1 tcp with support truck





Date: 12/15/2020

Author: 360 Traffic Solutions 604-889-5700  
Email: [dispatch@360trafficsolutions.com](mailto:dispatch@360trafficsolutions.com)

Drawn by: DH

Comments:

Parsons  
Yena Kim  
778-952-2872



Parsons PLUS  
envision more

Job Location : 7385 Vedder Rd, Chilliwack

Project No :

Plan No 1-F Drilling

Hours of Work : TBD

2 Lcts

Date: 12/15/2020


Comments:

1. Parsons will be installing wells in EB parking lane Gaetz St, east of Vedder, this Tmp shows a modification of Fig 7.6 of mot manual

2. Posted speed limit in this area is 50 kmh

3. Tc to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure truck 2 tcps

4. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tc in charge to accommodate traffic and local conditions onsite at the time.








**TRAFFIC PRO  
SERVICES**







360 TRAFFIC SOLUTIONS  
604-889-5700  
GOA-889-5700

Date: 11/20/2020 Author: 360 Traffic Solutions 604-889-5700  
Email: [dispatch@360trafficsolutions.com](mailto:dispatch@360trafficsolutions.com) Drawn by: DH

Comments:  
Parsons  
Yena Kim  
604-365-9284

Job Location : 7385 Vedder Rd, Chilliwack  
Project No  
Plan 1-A Drilling  
Hours of Work : TBD  
1 Lane closure truck 2 tcps



Parsons PLUS  
envision more

Legend

 Buffer vehicle

 Delineator

 Drill Rig

 FAB

 Proposed location



 TCP

 Work Area

Date: 11/20/2020

Comments:  
1. Parsons will be installing a well in the crosswalk EB Storey Ave, road will be closed to EB traffic while work is in progress  
3. Tcp to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure truck & 2 tcps  
4. All signs & equipment will be removed for non working hrs  
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.








Date: 7/09/2019

Comments:

- 1. Parsons will be monitoring existing wells in SB left lane Vedder Rd, this Tmp shows a modification of Fig 8.7 (left lane closure).
- 2. No buses/pedestrians will be affected, all driveways will be maintained
- 3. Posted speed limit in this area is 50 kmh
- 4. Tcp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure tech
- 5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.





Date: 7/09/2019

Comments:

- 1. Parsons will be monitoring existing wells in SB left lane Vedder Rd, this Tmp shows a modification of Fig 8.7 (left lane closure).
- 2. No buses/pedestrians will be affected, all driveways will be maintained
- 3. Posted speed limit in this area is 50 kmh
- 4. Tcp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure tech
- 5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.



www.invarion.com

Legend

- BH 13 & 14
- Buffer vehicle
- Delineator
- FAB
- Sign stand
- TCP
- Work Area

Date: 07/09/2019 Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com Drawn by: DH

Comments:

Parsons  
Yena Kim  
778-952-2872



Job Location : 7385 Vedder Rd, Chilliwack  
Project No :  
Plan No 1-B  
Hours of Work : TBD  
1 Lct



Imagery Date: 7/22/2018 49°08'09.55" N





**Date:** 7/09/2019

**Comments:**

1. Parsons will be monitoring existing wells in EB lane Stoney Rd this Tmp shows a modification of Fig 7.8 (single lane alternating traffic ).
2. No buses/pedestrians will be affected, all driveways will be maintained, no stopping zone required around work area
3. Posted speed limit in this area is 50 kmh
4. Tmp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lct & 1 tcp with support truck.
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.


| Legend |                  |
|--------|------------------|
|        | BH 41 & 16       |
|        | Buffer vehicle   |
|        | Delineator       |
|        | FAB              |
|        | No Stopping Zone |
|        | TCP              |
|        | Work Area        |

Date: 07/09/2019    Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com    Drawn by: DH

Comments:  
Parsons  
Yena Kim  
778-952-2872

Job Location : 7385 Vedder Rd, Chilliwack  
Project No :  
Plan No 1-C  
Hours of Work : TBD  
1 Lct & 1 tcp with support truck





**Date:** 7/09/2019

**Comments:**

1. Parsons will be monitoring existing wells in EB lane Stoney Rd this Tmp shows a modification of Fig 7.8 (single lane alternating traffic ).
2. No buses/pedestrians will be affected, all driveways will be maintained, no stopping zone required around work area
3. Posted speed limit in this area is 50 kmh
4. Tmp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lct & 1 tcp with support truck.
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.

- Legend**
- BH 36 & 37
  - Buffer vehicle
  - Delineator
  - FAB
  - No Stopping Zone
  - TCP
  - Work Area

**Date:** 07/09/2019 **Author:** 360 Traffic Solutions 604-889-5700  
**Email:** dispatch@360trafficsolutions.com **Drawn by:** DH

**Comments:**  
Parsons  
Yena Kim  
778-952-2872

**Job Location :** 7385 Vedder Rd, Chilliwack  
**Project No :**  
**Plan No** 1-D  
**Hours of Work :** TBD  
1 Lct & 1 tcp with support truck

**360 Traffic Solutions**

**Parsons PLUS**  
envision more





**Date:** 7/09/2019

**Comments:**

1. Parsons will be monitoring existing wells in EB lane Stoney Rd this Tmp shows a modification of Fig 7.8 (single lane alternating traffic ).
2. No buses/pedestrians will be affected, all driveways will be maintained, no stopping zone required around work area
3. Posted speed limit in this area is 50 kmh
4. Tmp to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lct & 1 tcp with support truck.
5. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tcp in charge to accommodate traffic and local conditions onsite at the time.

| Legend |                  |
|--------|------------------|
|        | BH 42            |
|        | Buffer vehicle   |
|        | Delineator       |
|        | FAB              |
|        | No Stopping Zone |
|        | TCP              |
|        | Work Area        |



**360**  
Traffic Solutions

Date: 07/09/2019    Author: 360 Traffic Solutions 604-889-5700  
Email: dispatch@360trafficsolutions.com    Drawn by: DH

Comments:  
Parsons  
Yena Kim  
778-952-2872

Job Location : 7385 Vedder Rd, Chilliwack  
Project No :  
Plan No 1-E  
Hours of Work : TBD  
1 Lct & 1 tcp with support truck



**Parsons PLUS**  
envision more





Date: 12/15/2020

Author: 360 Traffic Solutions 604-889-5700  
Email: [dispatch@360trafficsolutions.com](mailto:dispatch@360trafficsolutions.com)

Drawn by: DH

Comments:

Parsons  
Yena Kim  
778-952-2872



Parsons PLUS  
envision more

Job Location : 7385 Vedder Rd, Chilliwack

Project No :

Plan No 1-F Drilling

Hours of Work : TBD

2 Lcts

Date: 12/15/2020

Comments:

1. Parsons will be installing wells in EB parking lane Gaetz St, east of Vedder, this Tmp shows a modification of Fig 7.6 of mot manual

2. Posted speed limit in this area is 50 kmh

3. Tc to assist pedestrians, residents and businesses and to insure all traffic control devices work to channel traffic safely around the work area, Traffic control will be provided with 1 lane closure truck 2 tcps

4. Sign location and spacing will be in conformity with the requirements of the Manual for Work on Roadways as published by the MoTI. Changes to layout of signage made by the Tc in charge to accommodate traffic and local conditions onsite at the time.

