

Sample Range Report

Fraser Health Authority

Facility Name: City of Chilliwack Water System

Date Range: Jan 1 2018 to Dec 31 2018

Operator Glen MacPherson
8550 Young Rd S
Chilliwack, BC V2P 8A4

Sampling Site	Date Collected	Total Coliform	E. Coli	Fecal Coliform
<u>Well #3, 45215 Keith</u>				
<u>Wilson Road</u>				
	7-23-2018	L1	L1	
	7-30-2018	L1	L1	
	8-7-2018	L1	L1	
	8-13-2018	L1	L1	
	8-20-2018	L1	L1	
	8-27-2018	L1	L1	
	9-4-2018	L1	L1	
	9-10-2018	L1	L1	
	9-17-2018	L1	L1	
	9-24-2018	L1	L1	
	10-1-2018	L1	L1	
	10-9-2018	L1	L1	
	10-15-2018	L1	L1	
	10-22-2018	L1	L1	
	10-29-2018	L1	L1	
	11-5-2018	L1	L1	
	11-13-2018	L1	L1	
	11-19-2018	L1	L1	
	11-26-2018	L1	L1	
	12-3-2018	L1	L1	
	12-10-2018	L1	L1	
	12-17-2018	<u>L1</u>	<u>L1</u>	
	Total Positive:	0	0	0

Well # 7, 45305

Watson Road

1-2-2018	L1	L1
1-8-2018	L1	L1
1-15-2018	L1	L1
1-22-2018	L1	L1
1-29-2018	L1	L1
2-5-2018	L1	L1
2-13-2018	L1	L1
2-19-2018	L1	L1
2-26-2018	L1	L1
3-5-2018	L1	L1
3-12-2018	L1	L1
3-19-2018	L1	L1

3-26-2018	L1	L1	
4-3-2018	L1	L1	
4-9-2018	L1	L1	
4-16-2018	L1	L1	
4-23-2018	L1	L1	
4-30-2018	L1	L1	
5-7-2018	L1	L1	
5-14-2018	L1	L1	
5-22-2018	L1	L1	
5-28-2018	L1	L1	
6-4-2018	L1	L1	
6-11-2018	L1	L1	
6-18-2018	L1	L1	
6-25-2018	L1	L1	
7-3-2018	L1	L1	
7-9-2018	L1	L1	
7-16-2018	L1	L1	
7-23-2018	L1	L1	
7-30-2018	L1	L1	
8-7-2018	L1	L1	
8-13-2018	L1	L1	
8-20-2018	L1	L1	
8-27-2018	L1	L1	
9-4-2018	L1	L1	
9-10-2018	L1	L1	
9-17-2018	L1	L1	
9-24-2018	L1	L1	
10-1-2018	L1	L1	
10-9-2018	L1	L1	
10-15-2018	L1	L1	
10-22-2018	L1	L1	
10-29-2018	L1	L1	
11-5-2018	L1	L1	
11-13-2018	L1	L1	
11-19-2018	L1	L1	
11-26-2018	L1	L1	
12-3-2018	L1	L1	
12-10-2018	L1	L1	
12-17-2018	<u>L1</u>	<u>L1</u>	
Total Positive:	0	0	0

Well # 8, 44900
Keith Wilson Rd

1-2-2018	L1	L1	
1-8-2018	L1	L1	
1-15-2018	L1	L1	
2-13-2018	L1	L1	
2-19-2018	L1	L1	
2-26-2018	L1	L1	
3-5-2018	L1	L1	
3-12-2018	L1	L1	
3-19-2018	L1	L1	
3-26-2018	L1	L1	
4-3-2018	L1	L1	
4-9-2018	L1	L1	

4-16-2018	L1	L1	
4-23-2018	L1	L1	
4-30-2018	L1	L1	
5-7-2018	L1	L1	
5-14-2018	L1	L1	
5-22-2018	L1	L1	
5-28-2018	L1	L1	
6-4-2018	L1	L1	
6-11-2018	L1	L1	
6-18-2018	L1	L1	
6-25-2018	L1	L1	
7-3-2018	L1	L1	
7-9-2018	L1	L1	
7-16-2018	L1	L1	
7-23-2018	L1	L1	
7-30-2018	L1	L1	
8-7-2018	L1	L1	
8-13-2018	L1	L1	
8-20-2018	L1	L1	
8-27-2018	L1	L1	
9-4-2018	L1	L1	
9-10-2018	L1	L1	
9-17-2018	L1	L1	
9-24-2018	L1	L1	
10-1-2018	L1	L1	
10-9-2018	L1	L1	
10-15-2018	L1	L1	
10-22-2018	L1	L1	
10-29-2018	L1	L1	
11-5-2018	L1	L1	
11-13-2018	L1	L1	
11-19-2018	L1	L1	
11-26-2018	L1	L1	
12-3-2018	L1	L1	
12-10-2018	L1	L1	
12-17-2018	<u>L1</u>	<u>L1</u>	
Total Positive:	0	0	0

Well # 10.

1-2-2018	L1	L1	
1-8-2018	L1	L1	
1-15-2018	L1	L1	
1-22-2018	L1	L1	
1-29-2018	L1	L1	
2-5-2018	L1	L1	
2-13-2018	L1	L1	
2-19-2018	L1	L1	
2-26-2018	L1	L1	
3-5-2018	L1	L1	
3-12-2018	L1	L1	
3-19-2018	L1	L1	
3-26-2018	L1	L1	
4-3-2018	L1	L1	
4-9-2018	L1	L1	
4-16-2018	L1	L1	

4-23-2018	L1	L1	
4-30-2018	L1	L1	
5-7-2018	L1	L1	
5-14-2018	L1	L1	
6-18-2018	L1	L1	
6-25-2018	L1	L1	
7-3-2018	L1	L1	
7-9-2018	L1	L1	
7-16-2018	L1	L1	
7-23-2018	L1	L1	
7-30-2018	L1	L1	
8-7-2018	L1	L1	
8-13-2018	L1	L1	
8-20-2018	L1	L1	
8-27-2018	L1	L1	
9-4-2018	L1	L1	
9-10-2018	L1	L1	
9-17-2018	L1	L1	
10-1-2018	L1	L1	
10-9-2018	L1	L1	
10-15-2018	L1	L1	
10-22-2018	L1	L1	
10-29-2018	L1	L1	
11-5-2018	L1	L1	
11-13-2018	L1	L1	
11-19-2018	L1	L1	
11-26-2018	L1	L1	
12-3-2018	L1	L1	
12-10-2018	L1	L1	
12-17-2018	<u>L1</u>	<u>L1</u>	
Total Positive:	0	0	0

Well # 9.

1-2-2018	L1	L1
1-8-2018	L1	L1
1-15-2018	L1	L1
1-22-2018	L1	L1
1-29-2018	L1	L1
2-5-2018	L1	L1
2-13-2018	L1	L1
2-19-2018	L1	L1
2-26-2018	L1	L1
3-5-2018	L1	L1
3-12-2018	L1	L1
3-19-2018	L1	L1
3-26-2018	L1	L1
4-3-2018	L1	L1
4-9-2018	L1	L1
4-16-2018	L1	L1
4-23-2018	L1	L1
4-30-2018	L1	L1
5-7-2018	L1	L1
5-14-2018	L1	L1
5-22-2018	L1	L1
5-28-2018	L1	L1

6-4-2018	L1	L1	
6-11-2018	L1	L1	
6-18-2018	L1	L1	
6-25-2018	L1	L1	
7-3-2018	L1	L1	
7-9-2018	L1	L1	
7-16-2018	L1	L1	
7-23-2018	L1	L1	
7-30-2018	L1	L1	
8-7-2018	L1	L1	
8-13-2018	L1	L1	
8-20-2018	L1	L1	
8-27-2018	L1	L1	
9-4-2018	L1	L1	
9-10-2018	L1	L1	
9-17-2018	L1	L1	
9-24-2018	L1	L1	
10-1-2018	L1	L1	
10-9-2018	L1	L1	
10-15-2018	L1	L1	
10-22-2018	L1	L1	
10-29-2018	L1	L1	
11-5-2018	L1	L1	
11-13-2018	L1	L1	
11-19-2018	L1	L1	
11-26-2018	L1	L1	
12-3-2018	L1	L1	
12-10-2018	L1	L1	
12-17-2018	<u>L1</u>	<u>L1</u>	
Total Positive:	0	0	0

Well #2, 45070
Watson Road

1-2-2018	L1	L1
1-8-2018	L1	L1
1-15-2018	L1	L1
1-22-2018	L1	L1
1-29-2018	L1	L1
2-5-2018	L1	L1
2-13-2018	L1	L1
2-19-2018	L1	L1
2-26-2018	L1	L1
4-23-2018	L1	L1
4-30-2018	L1	L1
5-7-2018	L1	L1
5-14-2018	L1	L1
5-22-2018	L1	L1
5-28-2018	L1	L1
6-4-2018	L1	L1
6-11-2018	L1	L1
6-18-2018	L1	L1
6-25-2018	L1	L1
7-3-2018	L1	L1
7-9-2018	L1	L1
7-16-2018	L1	L1

7-23-2018	L1	L1	
7-30-2018	L1	L1	
8-7-2018	L1	L1	
8-13-2018	L1	L1	
8-20-2018	L1	L1	
8-27-2018	L1	L1	
9-4-2018	L1	L1	
9-10-2018	L1	L1	
9-17-2018	L1	L1	
9-24-2018	L1	L1	
10-1-2018	L1	L1	
10-9-2018	L1	L1	
10-15-2018	L1	L1	
10-22-2018	L1	L1	
10-29-2018	L1	L1	
11-5-2018	L1	L1	
11-13-2018	L1	L1	
11-19-2018	L1	L1	
11-26-2018	L1	L1	
12-3-2018	L1	L1	
12-10-2018	L1	L1	
12-17-2018	<u>L1</u>	<u>L1</u>	
Total Positive:	0	0	0

Well #1, 45070
Watson Road

1-2-2018	L1	L1
1-8-2018	L1	L1
1-15-2018	L1	L1
1-22-2018	L1	L1
1-29-2018	L1	L1
2-5-2018	L1	L1
2-13-2018	L1	L1
2-19-2018	L1	L1
2-26-2018	L1	L1
3-5-2018	L1	L1
3-12-2018	L1	L1
3-19-2018	L1	L1
3-26-2018	L1	L1
4-3-2018	L1	L1
4-9-2018	L1	L1
4-16-2018	L1	L1
4-23-2018	L1	L1
4-30-2018	L1	L1
5-7-2018	L1	L1
5-14-2018	L1	L1
5-22-2018	L1	L1
5-28-2018	L1	L1
6-4-2018	L1	L1
6-11-2018	L1	L1
6-18-2018	L1	L1
6-25-2018	L1	L1
7-3-2018	L1	L1
7-9-2018	L1	L1
7-16-2018	L1	L1

7-23-2018	L1	L1	
7-30-2018	L1	L1	
8-7-2018	L1	L1	
8-13-2018	L1	L1	
8-20-2018	L1	L1	
8-27-2018	L1	L1	
9-4-2018	L1	L1	
9-10-2018	L1	L1	
9-17-2018	L1	L1	
9-24-2018	L1	L1	
10-1-2018	L1	L1	
10-9-2018	L1	L1	
10-15-2018	L1	L1	
10-22-2018	L1	L1	
10-29-2018	L1	L1	
11-5-2018	L1	L1	
11-13-2018	L1	L1	
11-19-2018	L1	L1	
11-26-2018	L1	L1	
12-3-2018	L1	L1	
12-10-2018	L1	L1	
12-17-2018	<u>L1</u>	<u>L1</u>	
Total Positive:	0	0	0

Well # 6. 45305
Watson Road

1-2-2018	L1	L1
1-8-2018	L1	L1
1-15-2018	L1	L1
1-22-2018	L1	L1
1-29-2018	L1	L1
2-5-2018	L1	L1
2-13-2018	L1	L1
2-19-2018	L1	L1
2-26-2018	L1	L1
3-5-2018	L1	L1
3-12-2018	L1	L1
3-19-2018	L1	L1
3-26-2018	L1	L1
4-3-2018	L1	L1
4-9-2018	L1	L1
4-16-2018	L1	L1
4-23-2018	L1	L1
4-30-2018	L1	L1
5-7-2018	L1	L1
5-14-2018	L1	L1
5-22-2018	L1	L1
5-28-2018	L1	L1
6-4-2018	L1	L1
6-11-2018	L1	L1
6-18-2018	L1	L1
6-25-2018	L1	L1
7-3-2018	L1	L1
7-9-2018	L1	L1
7-16-2018	L1	L1

7-23-2018	L1	L1	
7-30-2018	L1	L1	
8-7-2018	L1	L1	
8-13-2018	L1	L1	
8-20-2018	L1	L1	
8-27-2018	L1	L1	
9-4-2018	L1	L1	
9-10-2018	L1	L1	
9-17-2018	L1	L1	
9-24-2018	L1	L1	
10-1-2018	L1	L1	
10-9-2018	L1	L1	
10-15-2018	L1	L1	
10-22-2018	L1	L1	
10-29-2018	L1	L1	
11-5-2018	L1	L1	
11-13-2018	L1	L1	
11-19-2018	L1	L1	
11-26-2018	<u>L1</u>	<u>L1</u>	
Total Positive:	0	0	0

Result Values: **E - estimated** **L - less than** **G - greater than**

Samples that contain total coliform:	0	0.00% of total
Samples that contain e. coli:	0	0.00% of total
Samples that contain fecal coliform:	0	0.00% of total
Number of consecutive samples that contain total coliform:	0	
Number of samples that contain total coliform in last 30 days:	0/0	
Total number of samples:	361	

Comments:

Environmental Health Officer
Jan 22 2019

FOR FURTHER INFORMATION PLEASE CALL: Jeniene Lutz (604) 870-7900